

Hb Series

High capacity High hatchability

Hb SERIES –COMBINED EGG INCUBATORS



Hb350c

Egg Capacity			
	Setter	hatcher	TOTAL
Hen	280	70	350
Quail	792	198	990
Turkey	192	48	240
Partridge	448	112	560
Pheasant	384	96	480
Duck	192	48	240
Goose	160	40	200



Hb175c

Egg Capacity			
	Setter	Hatcher	TOTAL
Hen	140	35	175
Quail	396	99	495
Turkey	96	24	120
Partridge	224	56	280
Pheasant	192	48	240
Duck	96	24	120
Goose	80	20	100



Hb Series Combined Models

Prodi Hb Series Combined Egg Incubator Models gives chance user to do **setting and hatching process at the same time**. Eggs are set partially and even different poultry eggs having different incubation time can be set at the same time.




Flexy35 - setter trays have very flexible usage features. It can be used for all types of poultry eggs, even set different eggs in same tray at same time.

It has 11 separators in standart and adaptable even very small size eggs.

CS35 hatchery baskets have perfect design for all needs of incubation and hatchlings. They have fully plastic structure with their cover. This ensures long usage life and superior durability.

Roughed floor structure prevents chicks sliding and so the leg problems. Porous sides and floor enhance ventilation and enable maximum temperature distribution all over the basket.

You don't face the problems due to rust, bent corners ,injured toes.



TurnX –egg turning system

Airroute – laminar and routed ventilation system provides perfect air distribution all over the cabinet and enable the temperature difference between setter and hatcher part.

TurnX – fully automatic turning system turns eggs 45° left ve 45° right and provide total 90° ideal turning process. Stainless mechanism enables durability and long lasting. There are turning buttons in control panel to get trays parallel position for setting and transfer processes.

CLS Cabinet panels provide **high temperature insulation** and even protect your eggs against electricity cutoffs for a long time. Temperature control is fully digital and more precise with **PID parameters**, which also ensures minimum energy consumptions.

Models comes up with **water pan** and **wet bulb thermometer** in standard and humidity can easily be observed and controlled manually.


The functionality of CT Series Combined models can be increased by adding **Automatic Digital Humidifying Control (AHC)** and **High Temperature Alarm (HTA)** options.

Wet Bulb thermometer




Hb Series Combined Models

Digital controller



Adjustable air vents



Features	
Egg capacity	Hb175c : 175 chicken eggs (140 setter+35 hatcher) Hb350c : 350 chicken eggs (280 setter+70 hatcher)
Accessories	Hb175c : (4 x Flexy35) + (1 x CS35) Hb350c : (8 x Flexy35) + (2 x CS35)
Power	220/230 Volt – 50 / 60 HZ. Power : Hb175s : ort.: 95w maks: 175W Hb350s : ort.: 135w maks: 325W
Cabinet	High insulation CLS panels Double-glazed window in door with full sight 2.service door in backside
Ventilation	Airroute - perfect laminar flow, Forced ventilation with unique fan Adjustable air in-out vents for controlling of air current
Temperature	PID- Digital temperature control Electronic temperature sensor Digital temperature display(0,1 decimal), Stainless heaters Digital calibration property
Humidity	Water pan for humidification Wet Bulb Thermometer (assembled in door window)
Turning	TurnX- fully automatic egg turning system Exact 90 degree turning angle Stainless mechanism Turning buttons in control panel to get trays horizontal
Light	Inside light with on- off button in control panel
Others	Fully assembled, no need for montage Safety fuses
Optionals	Automatic Digital humidifying system (AHC) High Temperature Alarm (HTA)

We reserve the right to change specifications due to our policy of improvement.

Product pages:

Hb175c : www.kulucka.com/eng/hb175c.html

Hb350c : www.kulucka.com/eng/hb350c.html

